

FIELD CHECK LIST
FY 1965 UPDATING TASKS

Date Prepared 9/28/51

By W G J

A. FACILITY IDENTIFICATION: (Should agree with entries on Form 3706R)

1. Name COMMERCIAL STRUCTURE
2. Address 4922 WISCONSIN AVE NW
3. S/L 221167167 F.O. BC Contract C27 Fac. No. 011467

B. GENERAL DATA: (Use current L&P File Listing where applicable)

- | | | |
|--|--|---|
| 1. Total existing
PF Cat 2-8
Spaces: <u>126</u> | 2. Total potable
water required
(B1 x 3.5) gal: <u>442</u> | 3. Issue Stocks
On Hand
Spaces: <u>67</u> |
| 4. Water Storage Drums:
a. Required:
(B1 / 5) <u>25</u> Drums | b. Stocked:
(B3 / 5) <u>67</u> Drums | c. Balance:
(4a - 4b) <u>25</u> Drums |
| 5. Shelter License: Yes <input type="checkbox"/> No <input type="checkbox"/> No Contact <input checked="" type="checkbox"/> Previously Licensed <input type="checkbox"/> | | |
| 6. Trapped Water Mod. Permit: Yes <input type="checkbox"/> No <input type="checkbox"/> No Contact <input type="checkbox"/> Not Req'd <input checked="" type="checkbox"/> | | |
| 7. Remarks: _____ | | |

C. NEW WELL:

1. Estimated Cost \$
2. Remarks: N/A

D. POTABLE WATER REQTS: (Considering trapped or well water sources shown on Form 3706R)

- | | Existing
Sources | Total (After
Modification) |
|--|---|---|
| 1. Total trapped or well water available: | a. <u>507</u> gal | b. _____ gal |
| 2. Excess (D1-B2) (if negative, enter "0") | a. <u>67</u> gal | b. _____ gal |
| 3. Equiv stockable spaces (D1 divided by 3.5 - should not exceed B1) | a. <u>14</u> spaces | b. _____ spaces |
| 4. Equiv drums (D3 divided by 5 - should not exceed B4a) | a. <u>2</u> drums | b. _____ drums |
| 5. Max drums req'd, incl existing stocks (B4a-D4) | a. 23 drums | b. drums |
| 6. Net req't (D5-B4b) (if negative enter "0") | a. <u>23</u> drums | b. _____ drums |
| 7. Drums owner agrees to accept <u>*NO CONTACT*</u> | 8. Remarks: _____ | |

(*) If owner agreement to trapped water modification is obtained disregard D6a and consider D6b as maximum requirement.

E. SANITATION REQUIREMENTS:

Entries required only if potable trapped or well water, D1, above, will be used in lieu of water stored in drums.

Based Upon
Using Existing
Sources Only

Based Upon
Total After
Modification

1. Quantity of sanitary waste resulting from use of trapped sources ($D3 \times 2.1$ gal/person) a. 30 gal b. _____ gal
2. Can sanitary waste be removed from facility by gravity flow thru existing soil pipes? Yes ☒ No _____. If "Yes", estimate quantity of water available for dilution and flushing and enter in E3, below. (One gallon required for each gallon of sanitary waste to be removed). Use excess trapped potable water, D2, above, and/or existing non-potable sources shown in Section C, Form 3706(R).
3. Quantity available for dilution and flushing a. 0 gal b. _____ gal

(Note: If quantity in E3 equals or exceeds corresponding entry in E1, sanitary waste may be removed without storage and empty drum requirements, below, need not be computed).

4. Sanitary waste requiring storage in drums (E1 - E3) a. 30 gal a. _____ gal
5. Empty drums required ($E4$ divided by 15 gal) a. 2 drums b. _____ drums

(Note: Above requirement may be met by utilizing the fiber drum sanitary kits provided as issue stocks, and the steel water storage drums, if any are to be used in the facility. Only 30% of these will be available, since the remainder are required for storing sanitary waste resulting from use of the potable water initially stored therein).

6. Empty fiber drums available ($B3 + D3$, but not to exceed B1) divided by 50 persons a. 0 drums b. _____ drums
7. Empty water drums available ($B4b + D7$) \times 30% a. 0 drums b. _____ drums
8. Net empty drums required $E5 - (E6 + E7)$ a. 2 drums b. 2 drums
9. Empty drums owner agrees to accept (*)NO CONTACT

(*) If owner agreement to trapped water modification is obtained disregard E8a and consider E8b as maximum requirement.

10. Remarks: _____

2. FOOD STOCKS:

1. Total food stocks required (B1, above).....Spaces 126
2. Estimate of non-issue food stocks available
in facility (Minimum 10 persons, 14 days).....Spaces C7
3. Existing issue food stocks available, if any
(B3, above).....Spaces C7
4. Additional food stocks required
(F1 minus F2 and F3).....Spaces 126
5. Additional food stocks owner agrees
to accept.....Spaces NO CONTACT
6. Remarks: (Include basis for determination of F2 above) N/A

3. RADIATION KITS:

1. Make appropriate entries below for non-adjoining shelter areas.

Description of Areas (Stories or Location)	Shelter Spaces	Kits Authorized
a. <u>B5MT</u>	<u>126</u>	<u>1</u>
b. _____	_____	_____
c. _____	_____	_____

2. Total nonadjoining areas 1

3. Total Kits Authorized 1

4. NOTES: